## Hit List

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: DE 69910008 E, WO 9954817 A2, AU 9937515 A, US 6157927 A, <u>EP 1078316 A2</u>, JP 2002512400 W, <u>EP 1078316 B1</u>

L6: Entry 1 of 1

File: DWPI

Sep 4, 2003

DERWENT-ACC-NO: 2000-136788

DERWENT-WEEK: 200366

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Transaction processing system interconnection for use in accessing resource on remote server between different transaction processing environments

INVENTOR: KAYSER, S L; RAJCAN, S L; SCHAEFER, D E

PATENT-ASSIGNEE: UNISYS CORP (BURS)

PRIORITY-DATA: 1998US-0064160 (April 22, 1998)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
DE 69910008 E	September 4, 2003		000	G06F009/46
. <u>WO 9954817 A2</u>	October 28, 1999	E	102	G06F009/46
AU 9937515 A	November 8, 1999		000	
<u>US 6157927 A</u>	December 5, 2000		000	G06F017/30
EP 1078316 A2	February 28, 2001	E	000	G06F009/46
JP 2002512400 W	April 23, 2002		124	G06F009/46
EP 1078316 B1	July 30, 2003	E	000	G06F009/46

DESIGNATED-STATES: AU BR CA JP AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE DE FR GB DE FR GB

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
DE 69910008E	April 19, 1999	1999DE-0610008	
DE 69910008E	April 19, 1999	1999EP-0919899	
DE 69910008E	April 19, 1999	1999WO-US08583	
DE 69910008E	•	EP 1078316	Based on
DE 69910008E		WO 9954817	Based on
WO 9954817A2	April 19, 1999	1999WO-US08583	
AU 9937515A	April 19, 1999	1999AU-0037515	
AU 9937515A		WO 9954817	Based on
US 6157927A	April 22, 1998	1998US-0064160	

EP 1078316A2	April 19, 1999	1999EP-0919899	
EP 1078316A2	April 19, 1999	1999WO-US08583	
EP 1078316A2		WO 9954817	Based on
JP2002512400W	April 19, 1999	1999WO-US08583	
JP2002512400W	April 19, 1999	2000JP-0545097	
JP2002512400W		WO 9954817	Based on
EP 1078316B1	April 19, 1999	1999EP-0919899	
EP 1078316B1	April 19, 1999	1999WO-US08583	
EP 1078316B1		WO 9954817	Based on

INT-CL (IPC): G06F 9/46; G06F 17/30

ABSTRACTED-PUB-NO: US 6157927A

BASIC-ABSTRACT:

NOVELTY - A resource manager (64) translates the received XATMI service request and directives into service requests of a bidirectional two-phase communication protocol, after which service requests are issued to a protocol machine. The protocol machine coordinates the processing of the service requests with the processing of the corresponding events in the transaction processing environment of a transaction manager.

DETAILED DESCRIPTION - A connection manager includes the protocol machine that communicates with the requested resource on a remote server (60) in accordance with the bidirectional two-phase communication protocol. A resource manager has two interfaces for respectively receiving XATMI service request from a predetermined component in one transaction processing environment and the directives issued by the first transaction manager for global transaction.

INDEPENDENT CLAIMS are also included for the following:

- (a) a resource access method in different transaction processing environments;
- (b) and a recording medium which can be read in a computer.

USE - For use in accessing resource on remote server in transaction processing environment controlled by an XATMI-compliant transaction manager, by the component in transaction processing environment e.g. Microsoft Transaction Server MTS environment.

ADVANTAGE - Attains simple recovery of predetermined information need by the transaction manager and the protocol machine in a single log record, by providing centralized device for accessing the log record. Enables remote server to function as a local resource within MTS environment, to alleviate complexity of communication from distributed transaction controller and MTS component. Improves ability of overall transaction processing system to satisfy atomic, consistency, isolation and durability ACID properties.

DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of a transaction processing system interconnection.

Remote server 60

Resource manager 64

ABSTRACTED-PUB-NO: WO 9954817A EOUIVALENT-ABSTRACTS:

NOVELTY - A resource manager (64) translates the received XATMI service request and directives into service requests of a bidirectional two-phase communication protocol, after which service requests are issued to a protocol machine. The protocol machine coordinates the processing of the service requests with the processing of the corresponding events in the transaction processing environment of a transaction manager.

DETAILED DESCRIPTION - A connection manager includes the protocol machine that communicates with the requested resource on a remote server (60) in accordance with the bidirectional two-phase communication protocol. A resource manager has two interfaces for respectively receiving XATMI service request from a predetermined component in one transaction processing environment and the directives issued by the first transaction manager for global transaction.

INDEPENDENT CLAIMS are also included for the following:

- (a) a resource access method in different transaction processing environments;
- (b) and a recording medium which can be read in a computer.

USE - For use in accessing resource on remote server in transaction processing environment controlled by an XATMI-compliant transaction manager, by the component in transaction processing environment e.g. Microsoft Transaction Server MTS environment.

ADVANTAGE - Attains simple recovery of predetermined information need by the transaction manager and the protocol machine in a single log record, by providing centralized device for accessing the log record. Enables remote server to function as a local resource within MTS environment, to alleviate complexity of communication from distributed transaction controller and MTS component. Improves ability of overall transaction processing system to satisfy atomic, consistency, isolation and durability ACID properties.

DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of a transaction processing system interconnection.

Remote server 60

Resource manager 64

CHOSEN-DRAWING: Dwg.2/9

DERWENT-CLASS: T01

EPI-CODES: T01-F02C2; T01-H07C3E; T01-H07P; T01-S03;

F	1 <u> </u>	Title	Citation	Front	Review	Classification	Date	Reference		<u> </u>	Claims	KWIC	Draw. D
Cle	ear		Gener	ate Col	lection	Print	] <u>F</u>	wd Refs	Bkwd	Refs	Genera	ite OA	cs
		Tei	cms				<u> </u>		Docume	nts			

ep-1078316\$.did.

Display Format: - Change Format

Previous Page Next Page Go to Doc#

```
? t2/4/
 2/4/1
DIALOG(R) File 350: Derwent WPIX
(c) 2006 The Thomson Corporation. All rts. reserv.
IM- *Image available*
AA- 2001-328242/200134|
XR- <XRPX> N2001-236182|
TI- Credit card transaction processing method involves transmitting
    encrypted transaction message to credit card transaction processing
    computer from merchant computer
PA- NOVA CORP (NOVA-N) |
IV- BARNETT T; GALLOWAY J|
NC- 93|
NP- 4|
PN- WO 2001024087
                      A1 20010405 WO 2000US25669 A 20000920 200134 B
PN- AU 200075915
                          20010430 AU 200075915
                                                      A 20000920 200142 E
                      Α
PN- NO 200201366
                      A 20020502 WO 2000US25669
                                                    A 20000920 200238 E
                                    NO 20021366
                                                      A 20020319
PN-
                                                     A 20000920 200256 E
                      A1 20020724 EP 2000965150
PN- EP 1224593
                                    wo 2000us25669
PN-
                                                     A 20000920
AN- <LOCAL> WO 2000US25669 A 20000920; AU 200075915 A 20000920; WO 2000US25669 A 20000920; NO 20021366 A 20020319; EP 2000965150 A 20000920; WO 2000US25669 A 20000920
AN- <PR> US 1999404463 A 19990924|
FD- WO 2001024087
                              29
                      A1 EN.
FD- National Designated States, Original: AE AG AL AM AT AU AZ BA BB BG BR
BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN
IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL
PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW FD- Regional Designated States, Original: AT BE CH CY DE DK EA ES FI FR GB
GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TZ UG ZW FD- AU 200075915 A EN Based on OPI patent WO 200
                                       Based on OPI patent WO 2001024087
                                       PCT Application wo 2000US25669
FD- NO 200201366
                      A NO
FD- EP 1224593
                      A1 EN
                                       PCT Application WO 2000US25669
                                       Based on OPI patent WO 2001024087
FD-
FD- Regional Designated States, Original: AL AT BE CH CY DE DK ES FI FR GB
GR IE IT LI LT LU LV MC MK NL PT RO SE SI
LA- WO 2001024087
                      A1 EN
                               29
LA- EP 1224593
                      A1 EN
DS- <NATIONAL> AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE
    DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC
    LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI
    SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
DS- <NATIONAL> AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC
    MW MZ NL OA PT SD SE SL SZ TZ UG ZW AL LI LT LV MK RO SI
AB- < NV> WO A1
    NOVELTY - Transaction message sent by merchant computer (122) in ASCII
    form is translated into message format. Translated transaction message
    is encrypted and then transmitted to credit card transaction processing
    computer.
AB- <BASIC> DESCRIPTION - INDEPENDENT CLAIMS are also included for the
    following:
```

- 1. Credit card transactions processing system;
- 2. Processing method of credit card transaction from merchant computer;
- Method of transmitting credit card transaction to bank computer

USE - For credit card transaction processing through Internet. ADVANTAGE - By using Internet for credit card transactions, cost is reduced when compared to using a leased line. Encrypts transaction message so that transaction secure over Internet and manages message

## Ginger R. DeMille

traffic between merchant and transaction processor.
 DESCRIPTION OF DRAWINGS - The figure shows the transaction processing
 system.
 122 Merchant computer |
TT- CREDIT; CARD; TRANSACTION; PROCESS; METHOD; TRANSMIT; ENCRYPTION;
 MESSAGE; COMPUTER; MERCHANT|;
DC- T01|
IC- <MAIN> G06F G06F-017/60|
MC- <EPI> T01-J05A|
FS- EPI||
?